

Ray

2010

Antonio Citterio



Description

Aesthetical and functional, Ray is a modular system that starts with linear elements, chaise longues and terminal elements, which can be used to form all sorts of configurations – even corner and peninsula models. Its strong points are linearity and simplicity, enriched with tailoring elements such as the blanket stitch in the same colour or a contrasting hue, that enhances the removable covers. A main feature is the die-cast U-shaped foot that, along with the seat cushion height, contributes to creating an image of Ray as a particularly elegant piece with balanced forms.

The height of the feet from ground is 10 cm (3 7/8").

Technical information

Internal frame

tubular steel and steel profiles

Internal frame upholstery

flexible cold shaped polyurethane foam, polyester fibre cover

Internal frame upholstery (RY183P)

shaped polyurethane of different density, polyester fibre cover

Seat cushion upholstery

shaped polyurethane of different density, sterilized down, polyester and cotton fibre cover

Back cushion upholstery (RYG235N-RYLG275N)

shaped polyurethane, polyester fibre, polyester and cotton fibre cover

Back cushion (RY48C-RY72C-RY72CP)

polyester fibre, box style typology, blanket stitching

Feet

die-cast aluminium

Ferrules


thermoplastic material

Cover


fabric or leather (blanket stitching)

Technical drawings


RYG235N




RY235N




RY160SN




RY160DN




RY232SN




RY232DN




RY160TPS




RY160TPD




RY160LS




RY160LD




RY232LSN




RY232LDN




RYLG275N




RYL275N




RYL160SN




RYL160DN




RYL249SN




RYL249DN



RYL249LSN



RYL249LDN



RY183P

