



LED retrofit - 25W

Suspension lamp providing diffused light. Gold plate 24 carat frame. Blown glass opal diffuser.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607067444
Mounting	Suspension
Environments	Indoor dry location
Light source type	Bulb
Light sources included	Yes
Lamp category	LED retrofit
Lamp holders	E27
Iicos	HSGS
Bulb finish	Opal
Number of lamps	1
Power (W)	25

Physical

Colour	24K Gold
Length (mm)	650
Cord colour	Black
Cord length (mm)	2800
Canopy colour	24K Gold
Canopy length/diameter (mm)	113
Canopy height (mm)	36
Net weight (kg)	7
Package volume (m3)	0.25
IP internal	20



Download

Mounting instructions [Download PDF](#)

Photometric Files


LDT / IES [Download ZIP](#)

Technical Drawings

2D [Download ZIP](#)

3D [Download ZIP](#)

Schematic light drawing




Photometric

Lighting type Indirect, Direct

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



INCLUDED

RF36503

LED 25W E27 3700lm 2700K
240° DIMMER