



F9520039 Green

Wireline

Designed by Formafantasma, 2019




45W - 2793Im - 2700K - CRI> 90

Suspension lamp with diffused light. Tubular in transparent extruded glass and internal diffuser in opal PC. Ferrules made with CNC technology in satin stainless steel. Extruded cable in pink and forest green rubber. Injection molded PC rosette in the same finishes as the cable. The electronics integrated in the ceiling rose allows the use of different dimerization systems: push, 1-10, potentiometer, DALI. In the absence of these systems, the luminous flux can be set during installation, with the push system included in the canopy. Useful length of the cable 3mt.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

Mounting	Suspension	
Environments	Indoor dry location	
Light source type	LED	
Light sources included	Yes	
LED type	LED Module	
Power (W)	45	
System power (W)	45	
Lumen Output (lm)	2793	

Physical

Colour	Green
Length (mm)	1300
Cord colour	Green
Cord length (mm)	4050
Canopy colour	Green
Canopy length/diameter (mm)	130
Canopy height (mm)	70
Net weight (kg)	7.8
Package volume (m3)	0.05
IP internal	20

Download Mounting instructions	⊥ PDF		
Photometric Files	⊥ LDT		
Technical Drawings			
3D	¥ ZIP		
∄Bim	⊥ ZIP		

https://professional.flos.com/en/global/product/wireline-f9520039/

F9520039



















Schematic light drawing



Photometric

Lighting type	Total
Light distribution	Symmetric
CCT (K)	2700
CRI>	90
Extreme cut off	No

Electrical

Insulation class	1
Frequency (Hz)	50/60
Main voltage (Vac)	120-277
Power supply	Integrated
Dimmable	Yes
Power supply type	Dimmable 0-10V, Dimmable Push, Dimmable 1-10V, Dimmable DALI 1
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F




Replaceable (LED only) light source by a professional



Replaceable control gear by a professional

Spare Parts



01.	Power supply unit for led	RF22934
02.	Led dimmer kit	RF34197
03.	Wireline Assembly Rose Cover	RF9523139
	Green	
04.	Wireline Assembly Suspension	RF30045
	Rose for Wirelines Green	
05.	WireLine Green Wire	F9522039
06.	WireLine Body	F9521000









RF22934

Power supply unit for led

RF34197

Led dimmer kit

RF9523139

Wireline Assembly Rose Cover Green RF30049

Wireline Assembly Suspension Rose for Wirelines Green



WireLine Body

F9522039

WireLine Green Wire